

Table 4. Recommendations for Traveler's to Malaria Risk Countries in Eastern Europe and the Independent States of the former Soviet Union **

Country	Comments	Recommended Drug
Armenia	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Azerbaijan	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Georgia	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Kyrgyzstan	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Tajikistan	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Turkey	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Turkmenistan	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Uzbekistan	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine

** Sources of information: Centers for Disease Control and Prevention (<http://www.cdc.gov/travel>), World Health Organization web site (<http://www.who.int/ith/>), and Health Canada (http://www.phac-aspc.gc.ca/tmp-pmv/info/pal_mal_e.html)