

Table 5. Recommendations for Traveler's to Malaria Risk Countries in Asia (Including the Middle East, Indian Subcontinent, and Southeast Asia) **

Country	Comments	Recommended Options
Afghanistan	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Bangladesh	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Bhutan	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Myanmar (Burma)	Selected Areas	Atovaquone/Proguanil Doxycycline (Mefloquine not Recommended in eastern Burma due to reported resistance to mefloquine)
Cambodia	Selected Areas	Atovaquone/Proguanil Doxycycline (Mefloquine Not Recommended in Western Cambodia due to reported resistance to mefloquine)
China	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine in Hainan/ Yunnan, and Guangxi Chloroquine in all other areas or Atovaquone/Proguanil Doxycycline Mefloquine
East Timor	Every Area	Atovaquone/Proguanil Doxycycline Mefloquine
Indonesia	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Iran	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine

Iraq	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Malaysia	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
North Korea	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
South Korea	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Laos	Every area except Vientiane	Atovaquone/Proguanil Doxycycline Mefloquine
Nepal	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Pakistan	Every Area	Atovaquone/Proguanil Doxycycline Mefloquine
Philippines	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine (Islands of Basilan, Luzon Mindanao, Palawan, and Sulu Archipelago) Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine (All other areas)
Saudi Arabia	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Sri Lanka	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine

Syria	Selected Areas	Chloroquine Atovaquone/Proguanil Doxycycline Mefloquine
Thailand	Selected Areas	Atovaquone/Proguanil Doxycycline (Mefloquine not recommended for areas bordering with Burma and Cambodia)
Vietnam	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine
Yemen	Selected Areas	Atovaquone/Proguanil Doxycycline Mefloquine

** Sources of information: Centers for Disease Control and Prevention (<http://www.cdc.gov/travel>), World Health Organization web site (<http://www.who.int/ith/>), and Health Canada (http://www.phac-aspc.gc.ca/tmp-pmv/info/pal_mal_e.html)